


the grade plant with the state of the grade of the grade

and the state of t







F16.5



F1G.6






.


.


٠,


- 1 - 2,1 - 1;




F16.9










The first that with the first that t











WILLIAM R. BOHN 16501 Jersey St. Granada Hills, CA 9134

Here is a shotch of the daylie dome which is coated up a metatic chrome finish. Then protected w/ a wrethank coating.

SPHERICAL CRYLIC MIRROR FABRICATED STEEL FRAME. " ANGLE 5.5" DEEP MIRROR IS BONDED TO FRAME & THEN BRACKETS CLAMPED W/ ATTACH FRAME TO BRACKETS HOOD OF CAR (INSIDE)

BILL. @ (818)360 1712 WR BOHN @EARTHLINK. NE

1071 Camelback Street • Newport Beach, California 92660 • 949.717.3354 • fax 949.717.3344

FIGURE 17 3-26-01 OB STEIN.


FROM.

STIFFEN ACRYLIC IRROR.

16501 Jersey St. Granada Hills, CA 91344 818 · 3 6 0 - 1712

URETHANE FORM 818-360-1712

I" THICK, BONDED TO BACK OF MIRROR



TO FORM TO CONTOUR. Figure 17


BOND TO BACK OF ACRYLIC MIRROR WHILE PART IS LAYING OVER FORM.

MASK OFF MOLD AROUND FOGES TOPRO-

TECT FROM RESIN.

BOND \$LAMINATE WITH, 6 LAYERS OF 8 0Z. FIBERGIASS Street Newport Beach, California 92600 · 949.717.3354 · fax 949.717.3344

EPOXY - OR POLYESTER.



F16. 18